



Custom Wood
Entryways



Coastal Elegance



*Made In The USA
It Matters!*



First and Lasting Impressions

For over a quarter century, Signature Door Inc. has supplied elegant custom doors and decorative glass to independent retail establishments and brought architects, builders and homeowners expertise and personal service. Today, Signature Door Inc. is a premier provider of fine entryways across the United States.


Our doors feature state of the art manufacturing on every production level. Superior stile and rail construction with a raised molding system allows wood and glass panels to “float”, maintaining structural integrity in harsh environments. All our doors are sealed top and bottom before they leave the shop. These are a few examples that set us apart from other door manufacturers.

Our custom door and glass designs satisfy a wide variety of architectural tastes. We are able to bring your dream door to a reality. We are committed to every phase of your project from initial design to finished product. Your imagination is the limit. Like a piece of fine furniture, a wood door adds warmth, prestige and value to your home. Thank you for supporting American Craftsmanship.



The Signature Door Advantage

We aren't different to be different... We are different to be better!



We offer you a door system that is engineered to minimize the effects that are commonly associated with wood doors. Warping, twisting and bowing are a few complaints of wood door owners when their doors are subjected to the harsh weather conditions found in the northern regions and along the coast.

The Signature System allows all components to operate independently, yet cohesively with one another.

The complete package

- Every door is factory sealed top and bottom
- Factory finishing available (staining or painting)
- Available in DP or HVHZ-rated
- A wide variety of locksets available installed
- We manufacture decorative glass



scan to view video

How we ship



Securely packaged all the way through the delivery process.

Minimal handling = Minimal chance of damage.

Timeless Craftmanship

A quality wood door that will stand the test of time and the elements must be constructed with carefull attention to detail. All custom work must be carried out in a way that will not compromise the integrity of the door. This is a challenge but one that we take on willingly to make your dream entryway become reality.



It's all about the details!





*Design
Your
Dream Entry!*

*Work directly with our design
team to create that beautiful,
unique showpiece to accent
your home.*



Working closely with your architect or builder is very important for success in obtaining the door of your dreams. We can provide the tools and the information needed to make your dream entryway a reality. From your hand-drawn sketches to our CAD drawings for approval, we take on the challenges of custom woodworking and make it easy for our customers. Let us do the work for you as you plan your new home or upgrade your current entryway

Every door we manufacture has a bronze stamped signature coin routed into the door jamb with a unique serial number that proves that you have purchased one of the finest doors in the industry. This also allows us to verify specifications and ratings to which the door was manufactured even years after the unit has been installed.



We can design and build almost any style of door or glass that you dream up. Your imagination is the limit!






Elegant Entryways are the first impression of what lies within






Limitless Panel Configurations



Simulated Divided Lites



Custom Glass & Carvings



Go Green

Doors From Reclaimed Lumber

Reclaimed Pine

Dutch Doors

Dutch and Speakeasy Doors allow for greater functionality than a typical door affords.

Dutch doors are a great solution when you have a desire to blend indoor and outdoor living areas.



Speakeasy Doors

Speakeasy doors offer greater security, better field of vision and the ability to communicate without opening your door.



Various Styles



V-Groove Panels



Multi-lites



Louvers




Planks

Applied Moldings



Hurricane-Impact Entryways



Protection & Beauty

Our decorative doors and windows can be manufactured as hurricane-rated without any change of appearance.

No additional hurricane protection systems are needed with our units! Install a Signature Impact Entryway and you will be in compliance with all coastal building codes.

Great Locking Features

Our doors feature a 3 or 5-point single-motion latching system.



Photo by Alexis Zinser

Florida State Approved

Our Category-5 Hurricane Impact Doors are Florida State Approved with design pressures up to +65/-80.

Non-Impact doors available with D. P. Ratings.

Visit us online at www.signaturoor.com/hurricane.html to view a video demo on our Safety Plus II ® hurricane-impact glass.



Demand proof of testing and certification. It's your right.



Signature Collection™

The Signature Collection is a sampling of custom door designs that will satisfy a wide range of decorative styles. Custom glass and panels are interchangeable to achieve that special entryway to enhance the beauty of your home. Custom options are not limited by size, shape or specie. The following door designs are a small sample of our custom abilities and can be altered to resemble the door of your dreams.

SC68 Door and Elegance Glass with RT Transom

Door Examples. If you don't see what you want, please give us a call



SC1



SC2



SC3



SC4



SC5



SC6



SC7



SC8



SC9



SC10



SC11




SC12



SC13




SC14



SC15



SC16



SC17



SC18



SC19



SC20



SC21



SC22



SC23



SC24

The Signature Collection Series



SC25




SC26



SC27



SC28



SC29



SC30



SC31




SC32



SC33



SC34



SC35



SC36




SC37




SC38




SC39



SC40



SC41



SC42



SC43



SC44



SC45




SC46



SC47



SC48



SC49



SC50



SC51



SC52



SC53



SC54



SC55



SC56



SC57



SC58



SC59



SC60



SC61



SC62



SC63



SC64

The Signature Collection Series




Customized SC48 Double Door with Sidelites and Arched Transom



SC65




SC66



SC67



SC68



SC69



SC70

All styles can be manufactured as Hurricane-Impact Units. See page 11



SC71



SC72



SC73




SC74




SC75



SC76



SC77



SC78



SC79



SC80



SC81



SC82




SC83



SC84



SC85



SC86



SC87



SC88




SC89



SC90



SC91



SC92



SC93



SC94

Combination Doors

Protect your Investment!



Easy, Turn-Key Operation to switch screen & glass



Glass/Screen

Put the finishing touches on your “signature” entryway with a combination door that matches the specie of your door. If ventilation (with screen) or extra door protection (with glass) is your desire, then a Signature combination door is the perfect addition to your home. Combination doors can also be mounted to your existing entryway.


Storm and screen panels can be manufactured for your porch or outdoor living areas.

Operating Sidelites



Outswing

Screens for inswing & outswing units



Tongue option fits standard 16 and 20 mm eurogrooves without additional remote lock processing

Inswing

Wear strip prevents marring of strike plates




Operable inswing sidelites feature secure multi-point locking with easy hand-turn operation.

Bi-Folding Doors

- Multiple Configurations up to 57' Wide
- Retractable Screens up to 24' Wide
- Multi-point Hardware



Some available configurations



Internal Mini Blinds

Available in white or earth tone

Raise - Lower - Tilt



Raise, lower or tilt blinds in any position with the touch of a hand.


Factory Finishing

Environmentally Friendly - No VOC's.



Get a head start on installing your door system - Allow us to finish your dream entryway.

While these color samples are as accurate as possible to the finished product, exact colors may vary slightly depending upon the natural color of the door specie.



Contact your Signature Door sales associate regarding color samples

We can mix any color you desire including those approved by your local historic district commission



Above colors are approximate



Custom Glass

Hand-Crafted Decorative Glass

Take advantage of our in-house ability to create decorative door and fixed window glass to the size and shape you require. Allow us to incorporate your individual taste into a decorative window and door system to add the perfect accent to your home. We welcome your creativity!




Caming options



Art Glass Options

Color Glass Options (additional options available)



- 1 - Steel Blue Whispy Opal
- 3 - Dark Green Whispy Opal
- 5 - Red Whispy Opal
- 7 - Cloud White Opal
- 13 - Whispy Teal
- 15 - Medium Gold
- 17 - White Light Amber
- 23 - Steel Blue Water
- 25 - Grape Water
- 27 - Teal Water
- 31 - Pale Rose Water
- 32 - Sky Blue Water
- 33 - Light Purple Water
- 35 - Gray Water

Clear Glass Tint Options



Gray



Bronze

Texture Glass Options (additional options available)



Sandblast

Clear Baroque

Frosted Delta

Clear Seedy

Glue Chip

Clear Rain


Sparkle

Wave

Clear Rough-Rolled

Locking Hardware

HOPPE® Trim Options



Optional
Anti-Slam feature prevents latches from extending while door is open.
(Available upon request)



* Limited Lifetime Finish Warranty

Ashley Norton

Trim Options



Made In The USA!

Trim Options




Highest quality bronze tinted with hand applied patinas



Sentry®

* Non-Impact only

Trim Options



Dual direction manual flush bolt option for inactive panel located mid-panel for easy access

shoot bolts can be added to hook or tongue versions to improve Dp performance

Tongue option fits standard 16 and 20 mm eurogrooves without additional remote lock processing

90 degree deadbolt operation allows you to secure door without engaging the remote lock points

Anti-Slam device prevents hooks or tongues from extending while door is open

Just lift lever to engage all locking points


Hook Bolt option creates secure lock-up

Protector® Glass

* Available for non-rated units only*



It's that easy!



Peace of mind 24 hours a Day


Forced entry deterrent
Protects against storm damage
Super security for patios
Available for all door glass

Enhance the security of your Signature Door clear or decorative glass by adding Protector®, a transparent laminated outer glass panel applied to any I.G. doorlite.


* Breakthrough® Resistant Glass is a registered trademark of Glasslam NGL.

Door And Sill Details

Prehang Details




Non-Impact Prehang Details with Standard Jamb and Inswing Sill




Non-Impact Prehang Details with Standard Jamb and Inswing Sill and Storm Door Attached

Sill Options




Impact Inswing Sill


Available with 1 1/4", 2" or 3 1/4" exterior extensions



Non-Impact Bumper Sill




Non-Impact ADA Sill




Solid Wood Sill Y

Available in a variety of depths.




Solid Wood Sill R

Available in a variety of depths.




Solid Wood Bumper Sill

Available in a variety of depths.



Impact Bumper Sill B

A 1 1/4" exterior extension is available for use with BMC





Impact ADA Sill


Available in a variety of depths.



Panel & Molding Combinations (all interchangeable)





Raised Panel Molding Standard Panel




Recessed Molding Style C Traditional Panel

Glass & Molding Combinations (all interchangeable)



Recessed Molding WB11 Bolection Standard Panel





Recessed Molding W/ WB21 Bolection Classical Panel





Recessed Molding WB21 Bolection and WB11 Bolection on Ogee Panel

Casing Options





Exterior Casing



Custom bends and profiles are available through our custom department for all door components.

Panel Molding



* Not available for rated door units

Limited Warranty

Signature Door Inc. warrants its products (finished or unfinished) sold under this warranty to be free of defects in materials and workmanship for one year from the date of purchase from the manufacturer or factory authorized distributor. Products containing insulated glasslights are warranted against glass seal failure for 10 years. This warranty takes precedence over all other warranties, expressed or implied.

This warranty is extended only to the original purchaser/consumer who does not purchase for resale or for use in the ordinary course of their business operations (IE: display purposes).

Products that are delivered unfinished from Signature Door Inc. must be properly sealed to prevent absorption of moisture. All sides recommended to be finished evenly within 72 hours of receipt and must be kept in a climate-controlled environment beforehand. *Notice:* ALL doors, even when factory pre-finished, must be maintained on a constant basis. Maintenance frequency depends on the amount of weather exposure the finish receives.

This warranty does not cover damage caused by others or by a cause beyond Signature Door's control, including but not limited to: damages caused by misuse, abuse, accident, or mishandling; or damages caused by acts of God, fire, flood, earthquake, or other storms. Misuse of a door includes, but is not limited to, hanging a door without providing adequate overhang or applying an inappropriate finish.

An overhang is required to retain this warranty. The protective overhang must be equal to, or greater than, the distance from the bottom of the sill to the base of the overhang. See figure 1.




Figure 1.

In order to reduce the chance of warping or checking, dark-colored finishes should be avoided on all surfaces, especially on light-colored wood species, or if the door is exposed to direct sunlight.

This warranty does not cover any defects caused by:

- Product failure due to improper or incorrect installation; This includes bow or misalignment in the frame in which door is hung, if the door was purchased as a slab only.
- Modification, alterations (including trimming and cutting down door), repair or service of this product by anyone other than the manufacturer or without their consent.
- Any use of the product other than for which it was intended.
- Door warpage (whether cup, bow or twist) unless it exceeds the following dimensions.
 - » $1/4$ " in doors up to a $4/0$ nominal width and a $6/8$ nominal height
 - » $3/8$ " in doors up to a $4/0$ nominal width and a $8/0$ nominal height
- Warping of doors in excess of a $6/8$ nominal height without a multipoint locking system installed by Signature Door Inc. Though not always detrimental to the structural integrity of a door unit, pressure at a singular point (EG: cylindrical or mortise locks installed at a $35\ 1/4$ " latch height) is known to cause bowing on doors in excess of a $6/8$ nominal height.
- Doors in excess of 48" in width or 120" in height.
- Door designs that include possible problematic details as warned against by an SDI Sales Associate prior to purchase (EG: plank doors with planks in excess of 5-6"; stile/rail components in excess of 9", uncomplimentary slab thickness on certain size doors, etc.)
- Products installed in or subject to high moisture or high humidity environments, including new homes with uncured plaster, drywall, concrete or ceramic tile.
- Products installed in direct sunlight (see above overhang requirements).
- Products subjected to unusual stress or strain such as that resulting from the movement or expansion/contraction of building or building components.
- Products not properly sealed or maintained as set forth above.
- Scratches, abrasions, or other damage caused by improper handling or cleaning.
- Failure to perform normal homeowner's maintenance, including maintaining the finish top coat. Please see Signature Door "Maintenance Information" for guidance.
- Panel movement (contraction/expansion) of $1/8$ " or less. Temperature and humidity levels are known to cause wood panels to contract or expand within the opening (particularly solid wood panels).
- Solid wood panels wider than 14" measured across the grain (IE: horizontal [x] dimension on a vertical [y] grain panel).
- Issues caused by extreme temperature build-up where a storm door is utilized. Storm doors are recommended to also include an interchangeable screen to allow for appropriate ventilation.

Variations in the wood color, texture, pattern and/or grain are considered characteristics of the wood and are not considered defects.

If a product becomes defective within the specified warranty period, Signature Door Inc. will repair or replace, at our discretion, any part(s) that appear to be defective in material or workmanship. The problem should be reported to the original place of purchase, along with the original purchase information. Signature Door Inc. will refund the purchaser the purchase price if the defects in the products are ones covered by this warranty and Signature Door Inc. is unable, by repair or replacement, to make the product perform properly. Signature Door Inc. is not liable for any installation, removal, or shipping charges in connection with the inspection, repair, or replacement of defective parts.

Quality Workmanship, Exceeding your Expectations!



Custom Wood
Entryways



[houzz.com/pro/signaturedoorinc/signature-door-inc](https://www.houzz.com/pro/signaturedoorinc/signature-door-inc)



[facebook.com/SignatureDoor](https://www.facebook.com/SignatureDoor)



[@SignatureDoor](https://twitter.com/SignatureDoor)



[pinterest.com/signaturedoor](https://www.pinterest.com/signaturedoor)



Scan for Social Media links

Signature Door Inc.®

2017 Edition